What is claimed is:

1

2

3

1

2

	1(currently amended). A support for a shower head, comprising:
	a mounting fixture for mounting the support such that the support is
а	djustable,
	an arm jutting out of the mounting fixture,
	a receptacle $\frac{\{a\}}{a}$ for a shower head arranged in the vicinity of \underline{a} the far
E	end of the arm away from the mounting fixture, which receptacle is
C	onfigured such that the shower head is detachable from said
r	eceptacle, and
	at least one additional shower fixture attached to the arm,
	wherein the shower head is supplied with water by a hose and
٧	wherein the additional shower fixture is arranged to be supplied with
<u>v</u>	vater independently of the shower head.
	Claim 2 is canceled.
	3(currently amended). The [A] shower support according to claim
1	, wherein having a channel extends passing through the arm and leads
¥	pading to the additional shower fixture.
	4(currently amended). The [A] shower support according to claim
1	, wherein the arm comprises a length of hollow, profiled stock, at least from
tl	ne mounting fixture to the additional shower fixture.

5(currently amended). <u>The [A]</u> shower support according to claim 1, wherein the additional shower fixture is arranged between the mounting fixture and the far end of the arm.

6(currently amended). <u>The [A]</u> shower support according to claim 1, wherein a direction of a jet exiting the additional shower fixture is adjustable.

1	/(currently amended). The [A] shower support according to claim
2	1, wherein the additional shower fixture is mounted on a side of the arm jutting
3	from the mounting fixture.
	9(ourrently amended) The [A] shower support according to claim
1	8(currently amended). The [A] shower support according to claim
2	1, wherein at least one said additional shower fixture is mounted on a
3	underside of the arm jutting from the mounting fixture.
1	9(currently amended). The [A] shower support according to claim
2	1, having several additional said shower fixtures and a water-supply conduit
3	common to all the additional shower fixtures.
1	10(currently amended). The [A] shower support according to claim
2	1, wherein the additional shower fixture is nondetachable.
	Claim 11 is canceled.
	Ciaim it is canceled.
1	12(currently amended). The [A] shower support according to claim
2	1, wherein the arm is pivotable relative to the mounting fixture about a
3	horizontal axis orthogonal to a longitudinal axis of the arm, on a linkage on the
4	mounting fixture.
	40/a and the second of the FAI also are a second according to delete
5	13(currently amended). The [A] shower support according to claim
6	12, wherein a the water conduit passes a pivotable connection of the arm to
7	the mounting fixture through the linkage.
1	14(currently amended). The [A] shower support according to claim
1	,
2	1, wherein the arm is configured in the form of a fork.

- 1 15(currently amended). <u>The [A]</u> shower support according to claim 14, wherein the additional shower fixtures are arranged on outer faces of tines
- of the fork.

Claims 16 and 17 are canceled.